

REMARKS

The Office Action dated July 21, 2003, has been reviewed in detail and the application has been amended in the sincere effort to place the same in condition for allowance. Reconsideration of the application and allowance in its amended form are requested based on the following remarks.

Applicant retains the right to pursue broader claims under 35 U.S.C. §120.

Applicant has provided a unique solution with respect to problems regarding a BOTTLING PLANT AND METHOD OF OPERATING A BOTTLING PLANT AND A BOTTLING PLANT WITH SECTIONS FOR STABILIZING THE BOTTLED PRODUCT. Applicant's solution is now claimed in a manner that satisfies the requirements of 35 U.S.C. §103.

New Claims:

Claims 31-43 are newly presented herein. No new matter has been added or entered as the limitations in these claims correspond to limitations in the claims presently on file. New Claims 31-43 will be discussed herein below with respect to the references applied

against Claims 19, 23, and 24.

Rejection of Claims 19, 23, and 24 Under 35 U.S.C. §103:

Claims 19, 23, and 24 were rejected under 35 U.S.C. §103 as being unpatentable over Pesente, U.S. 5,012,727, in view of Wijts, U.S. 4,773,321. Generally, the Examiner stated that Pesente showed all of the claimed structure of the present invention except "a housing comprising a roof arrangement" and "the roof being configured to receive the plurality of spray arrangements." The Examiner further states on page 3 of the Office Action:

However, Wijts discloses a similar product stabilizing section comprising a housing comprising a roof arrangement and the roof being configured to receive a plurality of spray arrangements and comprises a single cover arrangement and disposed above the plurality of spray arrangements and configured to cover substantially all of the spray arrangements; the roof arrangements has a length and a width (Figs. 1 and 2; via chamber 18).

As understood, Pesente discloses an apparatus for the control of a pasteurizing process. In general, Pesente shows a number of sprayers 3, 4, 5, 6 that spray water at different temperatures to pasteurize a product in bottles 1. Specifically, Pesente discloses that if the bottles 1 are stopped in case of emergency, the bottles 1 being sprayed by the highest temperature water are automatically sprayed

with a lower temperature water until the emergency is over. Each of the sprayers 3, 4, 5, 6 are individually suspended above the bottles

1. As stated by the Examiner, Pesente does not show a roof arrangement for the pasteurizing area.

Wijts, as understood, shows a sterilizing system for sterilizing food or pharmaceutical products. During operation, the products are transported through a cylindrical sterilizing chamber 18. Inside the chamber 18 processing fluids such as water, air, and/or steam are released onto the products to sterilize them. The processing fluids are released from T-shaped pipe structures, as can be seen in Figure 2, that are suspended a distance from the upper surface of the chamber 18.

In contrast to both Pesente and Wijts, amended Claim 19 recites "a housing comprising a roof arrangement" and "a plurality of spray arrangements being disposed integrally in said roof arrangement." As stated above and by the Examiner, Pesente does not show a housing comprising a roof arrangement. Wijts shows an enclosed cylindrical housing with pipe structures that release a fluid to sterilize the products. However, these pipe structures are not disposed integrally

in the cylindrical housing 18. The cross portion of the T-shaped pipe is suspended a distance from the cylindrical housing 18, as can be clearly seen in Figure 2. The vertical fluid supply pipes go through the cylindrical housing 18 (see Figures 1 and 2), but are not disposed integrally in the cylindrical housing 18.

In addition, it is respectfully submitted that the Wijts reference is non-analogous art with respect to Pesente. Pesente discloses a process and apparatus for pasteurization of a product, such as a bottled beverage. Wijts, on the other hand, discloses a process and apparatus for sterilization of a food or pharmaceutical product.

These two processes are very different in that pasteurization requires gradual heating and cooling at specific temperatures in order to kill off harmful bacteria without damaging the quality of the beverage, whereas, sterilization seeks to kill all bacteria by heating the product at substantially high temperatures. The temperatures used in sterilization are much higher than those used in pasteurization. If such high temperatures were used in pasteurization, the beverage product, such as beer or milk, would be adversely affected. The beer and milk subjected to such high temperatures would have a boiled

flavor that has been found to be undesirable to consumers. Along the same lines, sterilization could not be effectively conducted at the lower temperatures used in pasteurization as some bacteria might survive the exposure to the lower temperatures. Sterilization seeks to destroy all bacteria, so higher temperatures are necessary.

In view of the above, it is respectfully submitted that a person of ordinary skill in the art of beverage pasteurization would not look to a patent in the art of sterilization for information on pasteurization systems. It is much more likely that a person of ordinary skill in the art of beverage pasteurization would look to patents or publications relating to beverage pasteurization for information on pasteurization systems. It is respectfully submitted that sterilization systems or methods would be largely ignored by a person of ordinary skill in the art of beverage pasteurization because the process and apparatus of sterilization achieve near total destruction of bacteria at high temperatures, which is contrary to what is employed in beverage pasteurization. It is therefore respectfully submitted that Wijts is a non-analogous reference with respect to Pesente, thus rendering the combination of the two references improper.

Further, the Examiner states in the outstanding Office Action that it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the pasteurization system of Pesente to have the cylindrical housing of Wijts to house the sprayers of Pesente in order to protect the pasteurization system from the outside atmosphere. However, the Examiner does not point out any passage in the Pesente reference which would indicate the desirability of adopting the cylindrical housing of the sterilization system of Wijts in the pasteurization system of Pesente. Likewise, the Examiner also does not point out any passage in the Wijts reference which would indicate the desirability, or the utility, of using the cylindrical housing for the sterilization system in the pasteurization system. In this regard, it is important to note the decision of the Court of Appeals, Federal Circuit (CAFC) in its opinion in In re Howard Sernaker, 702 F. 2d 989, wherein, a Patent and Trademark Board of Appeal affirmance of an Examiner's rejection under 35 U.S.C. §103, based on a combination of references, was overturned.

In Sernaker, the invention involved related to a method for producing embroidered "emblems" which closely resembled emblems of

the prior art embroidered with different colored thread. In the claims on appeal, a sculptured embroidery was produced from a single colored thread (e.g., white); a heat-transferable transfer print (e.g., a decal) was provided; the sculptured embroidery and the transfer print were mated and aligned; and color was transferred from the print to the embroidery by the application of heat.

Sculptured one-color embroideries were known in the prior art, as was the heat transferable printing process. However, the CAFC held the claims on appeal nonobvious, stating the relevant tests to be:

"(a) whether a combination of the teachings of all or any of the references would have suggested (expressly or by implication) the possibility of achieving further improvement by combining such teachings along the line of the invention in suit, and

(b) whether the claimed invention achieved more than a combination which any or all of the prior art references suggested, expressly or by reasonable combination."

The CAFC recognized that the separate elements of the white sculptured embroidery and the heat-transferable dyeing process existed in the prior art. However, they pointed to the absence, in the references themselves or in the prior art general knowledge as a whole, of any recognition or suggestion that further improvements

could be achieved by combining these known elements in the manner taught and claimed in the application (e.g., in a mated and aligned fashion). A copy of the opinion in Sernaker is enclosed for the convenience of the Examiner.

It is believed that the decision of Sernaker is applicable in the present application, as there is nothing in either of the two references which teaches or suggests that the references be combined.

Further, since there is nothing in the applied references to teach that they be combined, it is also submitted that the only motivation to combine the applied references is the present disclosure itself, and such hindsight analysis of the available art is considered improper. At this juncture, Applicants wish to point out the decision in another court case which is considered to be relevant to the prosecution of the instant application.

In In re Deminski, 230 USPQ 313 (1986), the CAFC overturned a decision of the Board of Patent Appeals and Interferences regarding obviousness of the invention in view of prior references. In In re Deminski, the Board upheld the Examiner's rejection of Claims 17, 18 and 21 in view of obviousness over the prior art. These claims have

the limitation that the valve sets in the valve chambers be connected to permit withdrawal as a unit. The Board argued that if the Pocock reference would have attached the valve stem to the valve structure, the valve assembly would have been removable as a unit. The CAFC found nothing in the references to "suggest the desirability, and thus the obviousness" of designing the valve assembly to be removable, and stated that "the only way the board could have arrived at its conclusion was through hindsight analysis by reading into the art Deminski's own teachings. Hindsight analysis is clearly improper, since the statutory test is whether the subject matter as a whole would have been obvious at the time the invention was made." A copy of the opinion in Deminski is enclosed for the convenience of the Examiner.

In view of the above decision in In re Deminski, it is submitted that, only upon a reading of the specification of the present application that one would have possibly been motivated to provide the pasteurization system of Pesente with the cylindrical housing for the sterilization system of Wijts.

Further, even if, for the sake of argument purposes only, the

Pesente and Wijts references could somehow be combined, it would appear that significant portions of the Pesente device would have to be destroyed, or at least compromised, in order to arrive at the present invention as defined by Claim 19. In this regard, it is respectfully submitted that it is extremely unclear as to how the cylindrical housing of Wijts could be incorporated into the pasteurization system of Pesente.

In view of the above, it is submitted that Claim 19 fully distinguishes over Pesente and Wijts, either taken singly or in any reasonable combination thereof, and is therefore believed to be allowable.

Claim 24 has been canceled herein, without prejudice. Claims 20-23, 25, and 26 are also believed to be allowable over the applied references based on their dependence from Claim 19.

Newly-presented Claim 31, which is very similar to Claim 19, is also believed to distinguish over Pesente and Wijts. Claim 31 recites "a housing comprising a roof arrangement" and "a plurality of spray arrangements being disposed within said roof arrangement." As discussed above, neither Pesente nor Wijts shows "a plurality of spray

arrangements being disposed within said roof arrangement." Claim 31 is therefore believed to fully distinguish over Pesente and Wijts, either taken singly or in any reasonable combination thereof, and is therefore believed to be allowable.

Claims 32-36 are also believed to be allowable over the applied references based on their dependence from Claim 31.

Newly-presented Claim 37, which is very similar to Claim 19, is also believed to distinguish over Pesente and Wijts. Claim 37 recites "a housing comprising a roof arrangement" and "a plurality of sprayers being disposed in said roof arrangement to permit spraying of the containers from above the containers." As discussed above, neither Pesente nor Wijts shows "a plurality of sprayers being disposed in said roof arrangement." Claim 37 is therefore believed to fully distinguish over Pesente and Wijts, either taken singly or in any reasonable combination thereof, and is therefore believed to be allowable.

Claims 38-43 are also believed to be allowable over the applied references based on their dependence from Claim 37.

In view of the above, reconsideration and withdrawal of the present rejection is respectfully requested.

Art Made of Record:

The prior art made of record and not applied has been carefully reviewed, and it is submitted that it does not, either taken singly or in any reasonable combination with the other prior art of record, defeat the patentability of the present invention or render the present invention obvious. Further, Applicant is in agreement with the Examiner that the prior art made of record and not applied does not appear to be material to the patentability of the claims currently pending in this application.

In view of the above, it is respectfully submitted that this application is in condition for allowance, and early action towards that end is respectfully requested.

Summary and Conclusion:

It is submitted that Applicant has provided a new and unique BOTTLING PLANT AND METHOD OF OPERATING A BOTTLING PLANT AND A BOTTLING PLANT WITH SECTIONS FOR STABILIZING THE BOTTLED PRODUCT. It is submitted that the claims, as amended, are fully distinguishable from the prior art. Therefore, it is requested that a Notice of Allowance be issued at an early date.

Docket No.: NHL-HOL-55
Serial No.: 09/942,254

If mailed, I, the person signing this certification below, hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated in the certification of mailing on the transmittal letter sent herewith, or if facsimile transmitted, I, the person signing this certification below, hereby certify that this paper is being facsimile transmitted to the United States Patent and Trademark Office on the date indicated in the certification of facsimile transmission on the transmittal letter which is being facsimile transmitted herewith.

Respectfully submitted,



Nils H. Ljungman, Esq.

~~Attorney for the Applicant~~

Reg. No. 25,997

Name of person signing certification

Nils H. Ljungman & Associates

P.O. Box 130

Greensburg, PA 15601-0130

Telephone:(724) 836-2305

Facsimile:(724) 836-2313